- 1. A ligand-bonded complex in which a microparticle is directly or indirectly bonded to a ligand having affinity for a target substance, wherein the affinity of the ligand is sufficient to allow substantially specific binding of the ligand-bonded complex to a non-free target even in the presence of a free target.
- 2. The ligand-bonded complex according to claim 1, wherein two or more molecules of a single kind of the ligand having substantially the same affinity are bonded to one microparticle.
- 3. The ligand-honded complex according to claim 2, wherein an amount of the ligand is sufficient for reaction with the non-free target.
- 4. The ligand-bonded complex according to any one of claims 1 to 3, wherein the ligand is directly bonded to the microparticle.
- 5. The ligand-bonded complex according to any one of claims 1 to 4, wherein a water-soluble macromolecule is bonded to the microparticle.
- 6. The ligand-bonded complex according to any one of claims 1 to 5, wherein a part of or all of the ligand molecules are indirectly bonded to the microparticle by means of a water-soluble macromolecule.
- 7. The ligand-bonded complex according to claim 5 or claim 6, wherein the water-soluble macromolecule is a polyalkylene glycol.
- 8. The ligand-bonded complex according to claim 5 or claim 6, wherein the water-soluble macromolecule is polyethylene glycol.
- 9. The ligand-bonded complex according to any one of claims 1 to 8, wherein the microparticle is selected from the group consisting of a low molecular drug, a marker molecule, a protein, a micelle, and a liposome.
- 10. The ligand-bonded complex according to claim 9, wherein the microparticle is a liposome.
- 11. The ligand-bonded complex according to claim 10, wherein the liposome encapsulates an active principle of a medicament.
- 12. The ligand-bonded complex according to claim 11, wh r in the medicament is an anti-tumor agent.
 - 13. The ligand-bonded complex according to any one of claims 1 to 12, wherein

5/g/S

Suh

14. The ligand-bonded complex according to claim 13, wherein the antibody is an anti-tumor antibody.

15. The ligand-bonded complex according to claim 14, wherein the antibody is bonded by means of a wafer-soluble macromolecule to a liposome encapsulating an anti-tumor agent.

16. The ligand-bonded complex according to any one of claims 1 to 15, wherein dissociation constant between the target and one ligand is E-8 M or more.

17. The ligand-bonded complex according to any one of claims 1 to 15, wherein dissociation constant between the target and one ligand is E-7 M or more.

18. A pharmaceutical composition comprising a ligand-bonded complex according to any one of claims 1 to 17.

22